AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (cancelled)
- (previously presented) A compound represented by formula (1):

$$\begin{array}{c|c}
R_2 & G_2 & R_1 \\
\hline
(X)n & A_3 & A_4 & G_3 \\
\hline
R_2 & N_Q &
\end{array}$$
(1)

wherein A₁, A₂, A₃, and A₄ represent a carbon atom; R₁ represents:

- a C1-C6 alkyl group.
- a C1-C6 haloalkyl group,
- a C2-C6 alkenyl group.
- a C2-C6 haloalkenyl group.
- a C2-C6 alkynyl group.
- a C2-C6 haloalkynyl group.
- a C3-C8 cycloalkyl group.
- a C3-C8 halocycloalkyl group.
- a phenyl group.
- a substituted phenyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylthin group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfonyl group, a cyano group, a nitro group, a hydroxyl group, a pentafluorosulfanyl group, a C1-C4 alkylcarbonyl group, a

C1-C4 haloalkylcarbonyl group, a C1-C4 alkylcarbonyloxy group, and a C1-C4 alkoxycarbonyl group,

a naphthyl group.

a substituted naphthyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 alkylsulfinyl group, a C1-C6 alkylsulfonyl group, a cyano group, a nitro group, a hydroxyl group, a cyano group, a cyano group, a coup, a C1-C4 haloalkylcarbonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkylcarb

a heterocyclic group (which represents a pyridyl group, a pyridine-N-oxide group, a pyrimidinyl group, a pyridazyl group, a furyl group, a tetrahydrofuryl group, a thienyl group, a tetrahydrothienyl group, a tetrahydropyranyl group, an oxazolyl group, an isoxazolyl group, an oxadiazolyl group, a thiazolyl group, an isothiazolyl group, a thiadiazolyl group, a pyrrole group, an imidazolyl group, a triazolyl group, a pyrazolyl group, or a tetrazolyl group),

a substituted heterocyclic group (which represents a pyridyl group, a pyridine-N-oxide group, a pyrimidinyl group, a pyridazyl group, a furyl group, a tetrahydrofuryl group, a thienyl group, a tetrahydrofuryl group, a thienyl group, a tetrahydropyranyl group, an oxazolyl group, an isoxazolyl group, an oxazolyl group, a thiazolyl group, an isothiazolyl group, a pyrrole group, an imidazolyl group, a triazolyl group, a pyrrole group, an imidazolyl group, a triazolyl group, a pyrazolyl group, or a tetrazolyl group) having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalklyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoys group, a C1-C6 haloalkythio group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfinyl group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a cyano group, a nitro group, a hydroxyl group, a C1-C6 haloalkylsulfonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkylcar

-E1-Z1-R4

(wherein E_1 represents a C1-C4 alkylene group, a C2-C4 alkenylene group, a C3-C4 alkynylene group, a C1-C4 haloalkylene group, a C2-C4 haloalkenylene group, or a C3-C4 haloalkynylene group; R_4 represents a hydrogen atom, a C1-C6 alkyl group, a C2-C6 alkenyl group, a C2-C6 alkenyl group, a C2-C6 haloalkyl group, a C2-C6 haloalkynyl group, a C2-C6 haloalkynyl group, a C2-C6 haloalkenyl group, a C2-C6 haloalkynyl group,

- a C3-C8 cycloalkyl group,
- a C3-C8 halocycloalkyl group.
- a phenyl group,
- a substituted phenyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 alkoxy group, a C1-C6 alkoxy group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfonyl group, a C1-C6 alkylsulfonyl group, a cyano group, a nitro group, a hydroxyl group, a pentafluorosulfanyl group, a C1-C4 alkylcarbonyl group, a C1-C4 haloalkylcarbonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkoxycarbonyl group, a C1-C4 alkoyl group,
- a naphthyl group,
- a substituted naphthyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 alkylsulfinyl group, a C1-C6 alkylsulfonyl group, a cyano group, a nitro group, a hydroxyl group, a pentafluorosulfanyl group, a C1-C4 alkylcarbonyl group, a C1-C4 haloalkylcarbonyl group, a C1-C4 alkylcarbonyl group, and a C1-C4 alkoxycarbonyl group, a lot-C4 alkoxycarbonyl group, a cyano group, a lot-C4 alkoxycarbonyl group, a C1-C4 alkoxycarbonyl group, a C1-C4 alkoxycarbonyl group, a cyano group, a lot-C4 alkoxycarbonyl group, a cyano group, a lot-C4 alkoxycarbonyl group, a C1-C4 alkoxycarbonyl group, a cyano group, a cyano group, a lot-C4 alkoxycarbonyl group, a cyano group,
- a heterocyclic group (which represents a pyridyl group, a pyridine-N-oxide group, a pyrimidinyl group, a pyridazyl group, a furyl group, a tetrahydrofuryl group, a thienyl group, a tetrahydrothienyl group, a tetrahydropyranyl group, an oxazolyl group, an isoxazolyl group, an oxadiazolyl group, a thiazolyl group, an isothiazolyl group, a

thiadiazolyl group, a pyrrole group, an imidazolyl group, a triazolyl group, a pyrazolyl group, or a tetrazolyl group), or

a substituted heterocyclic group (which represents a pyridyl group, a pyridine-N-oxide group, a pyrimidinyl group, a pyridazyl group, a furyl group, a tetrahydrofuryl group, a thienyl group, a tetrahydrothienyl group, a tetrahydropyranyl group, an oxazolyl group, an isoxazolyl group, an oxadiazolyl group, a thiazolyl group, an isothiazolyl group, a thiadiazolyl group, a pyrrole group, an imidazolyl group, a triazolyl group, a pyrazolyl group, or a tetrazolyl group) having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a cyano group, a nitro group, a hydroxyl group, a pentafluorosulfanyl group, a C1-C4 alkylcarbonyl group, a C1-C4 haloalkylcarbonyl group, a C1-C4 alkylcarbonyloxy group, and a C1-C4 alkoxycarbonyl group); and Z₁ represents -O-, -S-, -SO-, -SO₂-, -C(=O)-, -C(=O)O-, -OC(=O), $-N(R_5)$, $-C(=O)N(R_5)$, or $-N(R_5)C(=O)$ (R_5 represents a hydrogen atom, a C1-C4 alkyl group, a C1-C4 alkylcarbonyl group, a C1-C4 haloalkylcarbonyl group, or a C1-C4 alkoxycarbonyl group)), or

-E₂-R₆

(wherein E_2 represents a C1-C4 alkylene group, a C2-C4 alkenylene group, a C3-C4 alkynylene group, a C1-C4 haloalkylene group, a C2-C4 haloalkenylene group, or a C3-C4 haloalkynylene group, and R_6 represents a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group,

- a cyano group,
- a nitro group,
- a hydroxyl group,
- a phenyl group,

a substituted phenyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 alkoxy group, a C1-C6 alkoxy group, a C1-C6

haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a cyano group, a nitro group, a hydroxyl group, a pentafluorosulfanyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkylcarbonyl group, and a C1-C4 alkylcarbonyl group, a C1-C4 alkylca

a naphthyl group,

a substituted naphthyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 alkylsulfonyl group, a cyano group, a nitro group, a hydroxyl group, a pentafluorosulfanyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkoxycarbonyl group, a C1-C4 alk

a heterocyclic group (which represents a pyridyl group, a pyridine-N-oxide group, a pyrimidinyl group, a pyridazyl group, a furyl group, a tetrahydrofuryl group, a thienyl group, a tetrahydrothienyl group, a tetrahydropyranyl group, an oxazolyl group, an isoxazolyl group, an oxadiazolyl group, a thiazolyl group, a pyrrole group, an imidazolyl group, a triazolyl group, a pyrrazolyl group, or a tetrazolyl group), or

a substituted heterocyclic group (which represents a pyridyl group, a pyridine-N-oxide group, a pyrimidinyl group, a pyridazyl group, a furyl group, a tetrahydrofuryl group, a thienyl group, a tetrahydrofuryl group, a thienyl group, a tetrahydropyranyl group, an oxazolyl group, an isoxazolyl group, an oxadiazolyl group, a thiazolyl group, an isothiazolyl group, a pyrrole group, an imidazolyl group, a triazolyl group, a pyrazolyl group, or a tetrazolyl group) having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkouthio group, a C1-C6 haloalkyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 lakylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a c1-C6 haloalkylsulfinyl group, a c1-C6 naloalkylsulfonyl group, a c1-C6

group, a hydroxyl group, a pentafluorosulfanyl group, a C1-C4 alkylcarbonyl group, a C1-C4 haloalkylcarbonyl group, a C1-C4 alkylcarbonyloxy group, and a C1-C4 alkoxycarbonyl group):

 R_2 and R_3 independently represent a hydrogen atom, a C1-C4 alkyl group, a C1-C4 alkylcarbonyl group, or a C1-C4 haloalkylcarbonyl group; G_1 , G_2 , and G_3 independently represent an oxygen atom or a sulfur atom; Xs may be the same or different and each represent a hydrogen atom, a halogen atom, a C1-C4 alkyl group, a C1-C4 haloalkyl group, a C1-C4 alkoxy group, a C1-C4 haloalkoxy group, a C1-C4 alkylthio group, a C1-C4 haloalkylsulfinyl group, a C1-C4 haloalkylsulfinyl group, a C1-C4 haloalkylsulfinyl group, a C1-C4 alkylsulfonyl group, a C1-C4 haloalkylsulfonyl group, a C1-C4 alkyl group;

n represents an integer of 0 to 4; and

Q represents a phenyl group,

a substituted phenyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 haloalkyl group which may be substituted by at least one hydroxyl group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkylsulfonyloxy group, a C1-C4 alkylcarbonyl group, a C1-C4 haloalkylcarbonyl group, a cyano group, a nitro group, a hydroxyl group, a pentafluorosulfanyl group, a phenyl group, a substituted phenyl group (which may have the same or different substituents selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkylsulfonyloxy, a cyano group, a nitro group, a hydroxyl group, and a pentafluorosulfanyl group), a thienyl group, and a substituted thienyl group (which may have the same or different substituents selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 alkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a cyano group, a nitro group, a hydroxyl group, and a pentafluorosulfanyl group),

a naphthyl group,

a substituted naphthyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkyl group which may be substituted by at least one hydroxyl group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 alkylsulfonyl group, a cyano group, a nitro group, a hydroxyl group, and a pentafluorosulfanyl group,

a heterocyclic group (which represents a pyridyl group, a pyridine-N-oxide group, a pyrimidinyl group, a pyridazyl group, a furyl group, a thienyl group, an oxazolyl group, an isoxazolyl group, an isoxazolyl group, an isoxazolyl group, an isoxazolyl group, a pyrrole group, an imidazolyl group, a triazolyl group, or a pyrazolyl group),

a substituted heterocyclic group (which represents a pyridyl group, a pyridine-N-oxide group, a pyrimidinyl group, a pyridazyl group, a furyl group, a thienyl group, an oxazolyl group, an isoxazolyl group, a pyrrole group, an imidazolyl group, a triazolyl group, a pyrazolyl group, a pyrazolyl group, a resultation or a tetrazolyl group) having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkyl group, a C1-C6 alkylthio group, a C1-C6 alkylthio group, a C1-C6 alkylthio group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a cyano group, a nitro group, a hydroxyl group, and a pentafluorosulfanyl group,

a tetrahydronaphthyl group, or

a substituted tetrahydronaphthyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkyl group, a C1-C6 haloalkyl group, a C1-C6 haloalkyl group, a C1-C6 alkylthio group, a C1-C6 alkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfonyl group, a C1-C6 haloalkylsulfinyl group, a cyano group, a nitro group, a hydroxyl group, and a pentafluorosulfanyl group (excluding case (1) in which Q represents a 3,4-dichlorophenyl group when R1 represents an enthyl group, case (2) in which Q represents an unsubstituted phenyl group when R1 represents an enthyl group, case (3) in which Q represents an unsubstituted phenyl group, case (4) in which X bonded with A4 represents a halogen atom and a cyano group when A4 is a carbon atom, and case (5) a compound represented by following chemical formula

3. (original) The compound according to claim 2, wherein in formula (1), G₁ and G₃ each represent an oxygen atom, and Q represents a phenyl group, a substituted phenyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C1-C6 haloalkyl group, a C1-C6 haloalkyl group, a C1-C6 haloalkyl group which may be substituted by at least one hydroxyl group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a C1-C4 haloalkylsulfonylgroup, a C1-C4 haloalkylcarbonyl group, a cyano group, a nitro group, a hydroxyl group, and a pentafluorosulfanyl group.

).

a naphthyl group,

a substituted naphthyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 haloalkyl group which may be substituted by at least one hydroxyl group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a cyano group, a nitro group, a hydroxyl group, and a pentafluorosulfanyl group, a heterocyclic group (which represents a pyridyl group or a pyrazolyl group), a substituted heterocyclic group (which represents a pyridyl group or a pyrazolyl group) having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 haloalkyl group which may be substituted by at least one hydroxyl group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a cyano group, a nitro group, a hydroxyl group, and a pentafluorosulfanyl group,

a tetrahydronaphthyl group, or

a substituted tetrahydronaphthyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkyl group which may be substituted by at least one hydroxyl group, a C1-C6 alkythio group, a C1-C6 alkythio group, a C1-C6 alkythio group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a cyano group, a nitro group, a hydroxyl group, and a pentafluorosulfanyl group.

- 4. (original) The compound according to claim 3, wherein in formula (1), Xs may be the same or different and each represent a hydrogen atom, a halogen atom, a C1-C4 alkyl group, or a trifluoromethyl group, and n is an integer of 0 to 4.
- 5. (original) The compound according to claim 4, wherein in formula (1), $\ensuremath{R_{1}}$

Application No.: 10/570013 Amendment Dated: January 21, 2011 Reply to Office action of: November 23, 2010

represents:

- a C1-C6 alkyl group.
- a C1-C6 haloalkyl group,
- a C2-C6 alkenyl group,
- a C2-C6 haloalkenyl group,
- a C2-C6 alkynyl group,
- a C2-C6 haloalkynyl group,
- a C3-C8 cycloalkyl group,
- a C3-C8 halocycloalkyl group,
- -E₁-Z₁-R₄

(wherein E_1 represents a C1-C4 alkylene group, a C2-C4 alkenylene group, a C3-C4 alkynylene group, a C1-C4 haloalkylene group, a C2-C4 haloalkenylene group, or a C3-C4 haloalkynylene group, R_4 represents a hydrogen atom, a C1-C6 alkyl group, a C2-C6 alkenyl group, a C2-C6 alkenyl group, a C2-C6 haloalkyl group, a C2-C6 haloalkynyl group, a C2-C6 haloalkynyl group, a C2-C6, or $-SO_2$ -), or

-E₂-R₆

(wherein E_2 represents a C1-C4 alkylene group, a C2-C4 alkenylene group, a C3-C4 alkynylene group, a C1-C4 haloalkylene group, a C2-C4 haloalkenylene group, or a C3-C4 haloalkynylene group, and R_6 represents a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group,

- a cyano group,
- a nitro group,
- a hydroxyl group,
- a phenyl group.
- a substituted phenyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkyl group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 haloalkylcarbonyl group, a C1-C4 alkylcarbonyl group, a

group, and a pentafluorosulfanyl group.

a pyridyl group,

a substituted pyridyl group having one or more substituents selected from a halogen atom, a C1-C6 haloalkyl group, and a C1-C6 haloalkoxy group,

a thienyl group, or a tetrahydrofuryl group).

(previously presented) The compound according to claim 5, wherein in formula
 A₁, A₂, A₃, and A₄ are all carbon atoms and G₂ is an oxygen atom.

7. (original) The compound according to claim 6, wherein in formula (1), Q represents a phenyl group.

a substituted phenyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C1-C6 haloalkyl group, a C1-C6 haloalkyl group which may be substituted by at least one hydroxyl group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfonyl g

a pyridyl group, or

a substituted pyridyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C1-C6 haloalkyl group, a C1-C6 haloalkyl group which may be substituted by at least one hydroxyl group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkylsulfo

8. (currently amended) The compound according to claim 7, wherein in formula (1), Q is a substituent represented by formula (1-2) or (1-3):

(wherein Y_1 , Y_2 , Y_4 , and Y_5 may be the same or different and each represent a hydrogen atom, a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 alkoylthio group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a cyano group, or a nitro group, and Y_3 represents a C1-C6 haloalkyl group, a C1-C6 haloalkoxy group, a C1-C6 haloalkyl group which may be substituted by at least one hydroxyl group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, or a pentafluorosulfanyl group, but enly one of excluding a case where both Y_1 and Y_5 represents represent a hydrogen atom)

(wherein Y_6 , Y_7 , and Y_9 may be the same or different and each represent a hydrogen atom, a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C1-C6 haloalkyl group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, or a pentafluorosulfanyl group, but enly ene ef excluding a case where both Y_6 and Y_9 represents-represent a hydrogen atom).

9.-11. (cancelled)

12. (currently amended) A method for producing the compound according to claim 2, the method comprising reacting the compound represented by formula (2) with a compound represented by formula (5):

$$\begin{array}{c|c} R_2 & G_1 \\ & G_2 \\ \hline (X) n & A_3 \\ \hline A_3 \\ & A_4 \\ & & Hal \end{array} (2)$$

wherein A_1 , A_2 , A_3 , and A_4 independently-represent a carbon atom, a nitregen atom, or an exidized nitregen atom, and R_1 represents the following:

- a C1-C6 alkyl group,
- a C1-C6 haloalkyl group,
- a C2-C6 alkenyl group,
- a C2-C6 haloalkenyl group,
- a C2-C6 alkynyl group,
- a C2-C6 haloalkynyl group,
- a C3-C8 cycloalkyl group,
- a C3-C8 halocycloalkyl group,
- a phenyl group,
- a substituted phenyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 alkoxy group, a C1-C6 haloalkylstinio group, a C1-C6 haloalkylstinio group, a C1-C6 alkylsulfinyl group, a C1-C6 alkylsulfonyl group, a C1-C6 alkylsulfonyl group, a cyano group, a nitro group, a hydroxyl group, a pentafluorosulfanyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkycarbonyl gr
- a naphthyl group.
- a substituted naphthyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 haloalkoxy group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a cyano group, a nitro group, a hydroxyl group, a pentafluorosulfanyl group, a C1-C4 alkylcarbonyl group, a

C1-C4 haloalkylcarbonyl group, a C1-C4 alkylcarbonyloxy group, and a C1-C4 alkoxycarbonyl group.

a heterocyclic group (which represents a pyridyl group, a pyridine-N-oxide group, a pyrimidinyl group, a pyridazyl group, a furyl group, a tetrahydrofuryl group, a thienyl group, a tetrahydrothienyl group, a tetrahydropyranyl group, an oxazolyl group, an isoxazolyl group, an oxadiazolyl group, a thiazolyl group, an isothiazolyl group, a thiadiazolyl group, a pyrrole group, an imidazolyl group, a triazolyl group, a pyrazolyl group, or a tetrazolyl group).

a substituted heterocyclic group (which represents a pyridyl group, a pyridine-N-oxide group, a pyrimidinyl group, a pyridazyl group, a furyl group, a tetrahydrofuryl group, a thienyl group, a tetrahydrofuryl group, a thienyl group, a tetrahydropyranyl group, an oxazolyl group, an isoxazolyl group, an oxazolyl group, a thiazolyl group, an isothiazolyl group, a pyrrole group, an imidazolyl group, a triazolyl group, a pyrrole group, an imidazolyl group, a triazolyl group, a pyrazolyl group, or a tetrazolyl group) having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 alkolyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkythio group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a C1-C4 haloalkylcarbonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkycarbonyl group, or

-E₁-Z₁-R₄

(wherein E_1 represents a C1-C4 alkylene group, a C2-C4 alkenylene group, a C3-C4 alkynylene group, a C1-C4 haloalkylene group, a C2-C4 haloalkenylene group, or a C3-C4 haloalkynylene group; R_4 represents a hydrogen atom, a C1-C6 alkyl group, a C2-C6 alkenyl group, a C2-C6 alkynyl group, a C1-C6 haloalkyl group, a C2-C6 haloalkenyl group, a C2-C6 haloalkenyl group, a C2-C6 haloalkenyl group, a C2-C6 haloalkynyl group,

- a C3-C8 cycloalkyl group,
- a C3-C8 halocycloalkyl group,
- a phenyl group,
- a substituted phenyl group having one or more substituents which may be the same

or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 alkylsulfinyl group, a C1-C6 alkylsulfonyl group, a cyano group, a nitro group, a hydroxyl group, a pentafluorosulfanyl group, a C1-C4 alkylcarbonyl grou

a naphthyl group,

a substituted naphthyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 alkoxy group, a C1-C6 alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 alkylsulfonyl group, a cyano group, a nitro group, a hydroxyl group, a pentafluorosulfanyl group, a C1-C4 alkylcarbonyl group, a C1-C4 haloalkylcarbonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkoxycarbonyl group, a C1-C4 alkoxycarb

a heterocyclic group (which represents a pyridyl group, a pyridine-N-oxide group, a pyrimidinyl group, a pyridazyl group, a furyl group, a tetrahydrofuryl group, a thienyl group, a tetrahydrothienyl group, a tetrahydropyranyl group, an oxazolyl group, an isoxazolyl group, an oxadiazolyl group, a thiazolyl group, a pyrrole group, an imidazolyl group, a triazolyl group, a pyrrazolyl group, or a tetrazolyl group),

a substituted heterocyclic group (which represents a pyridyl group, a pyridine-N-oxide group, a pyrimidinyl group, a pyridazyl group, a furyl group, a tetrahydrofuryl group, a thienyl group, a tetrahydrothienyl group, a tetrahydropyranyl group, an oxazolyl group, an isoxazolyl group, an oxadiazolyl group, a thiazolyl group, an isothiazolyl group, a pyrrole group, an imidazolyl group, a triazolyl group, a pyrrole group, an imidazolyl group, a triazolyl group, a pyrazolyl group, or a tetrazolyl group) having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6

alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 alkylsulfonyl group, a C1-C6 alkylsulfonyl group, a cyano group, a nitro group, a hydroxyl group, a pentafluorosulfanyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkylcarbonyl group, and a C1-C4 alkylcarbonyl group, and a C1-C4 alkoxycarbonyl group), and

$$\begin{split} Z_1 \text{ represents -O-, -S-, -SO-, -SO_2-, -C(=O)-, -C(=O)-, -OC(=O)-, -N(R_5)-, -C(=O)N(R_5)-, \text{ or -N}(R_5)C(=O)- (R_5 \text{ represents a hydrogen atom, a C1-C4 alkyl group, a C1-C4 alkylcarbonyl group, or a C1-C4 alkoxycarbonyl group)), or -E_2-R_6 \end{split}$$

(wherein E_2 represents a C1-C4 alkylene group, a C2-C4 alkenylene group, a C3-C4 alkynylene group, a C1-C4 haloalkylene group, a C2-C4 haloalkenylene group, or a C3-C4 haloalkynylene group, and R_6 represents a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group.

- a cyano group,
- a nitro group,
- a hydroxyl group,
- a phenyl group,

a substituted phenyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 haloalkyl group, a C1-C6 alkoxy group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfinyl group, a cyano group, a nitro group, a hydroxyl group, a pentafluorosulfanyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkycarbonyl group, a C1-C4 alkoxycarbonyl group, a C1-C4 alkoxycarbonyl group, a C1-C4 alkycarbonyl group, a C1-C4 alkoxycarbonyl group, a C1-C

a naphthyl group,

a substituted naphthyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 alkoxy group, a C1-C6 alkoxy group, a C1-C6 alkylthio group, a C1-C6

haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a cyano group, a nitro group, a hydroxyl group, a pentafluorosulfanyl group, a C1-C4 alkylcarbonyl group, a C1-C4 haloalkylcarbonyl group, a C1-C4 alkylcarbonyl group, and a C1-C4 alkylcarbonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkylcarbonyl group, a C1-C4 alkylcarbonyl group,

a heterocyclic group (which represents a pyridyl group, a pyridine-N-oxide group, a pyrimidinyl group, a pyridazyl group, a furyl group, a tetrahydrofuryl group, a thienyl group, a tetrahydrothienyl group, a tetrahydropyranyl group, an oxazolyl group, an isoxazolyl group, an oxadiazolyl group, a thiazolyl group, an isothiazolyl group, a thiadiazolyl group, a pyrrole group, an imidazolyl group, a triazolyl group, a pyrazolyl group, or a tetrazolyl group), or

a substituted heterocyclic group (which represents a pyridyl group, a pyridine-N-oxide group, a pyrimidinyl group, a pyridazyl group, a furyl group, a tetrahydrofuryl group, a thienyl group, a tetrahydrofuryl group, a thienyl group, a tetrahydropyranyl group, an oxazolyl group, an isoxazolyl group, an oxadiazolyl group, a thiazolyl group, an isothiazolyl group, a pyrrole group, an imidazolyl group, a triazolyl group, a pyrazolyl group, or a tetrazolyl group) having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 haloalkyl group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6

 R_2 represents a hydrogen atom, a C1-C4 alkyl group, a C1-C4 alkylcarbonyl group, or a C1-C4 haloalkylcarbonyl group;

 G_1 , G_2 , and G_3 independently represents an oxygen atom or a sulfur atom; Xs may be the same or different and each represent a hydrogen atom, a halogen atom, a C1-C4 alkyl group, a C1-C4 haloalkyl group, a C1-C4 haloalkoxy group, a C1-C4 haloalkoxy group, a C1-C4 alkylthio group, a C1-C4 alkylsulfinyl group, a C1-C4 haloalkylsulfinyl group, a C1-C4 haloalkylsulfinyl group, a C1-C4 haloalkylsulfinyl group, a C1-C4 haloalkylsulfinyl group, a C1-C4 alkylsulfonyl group, a

C1-C4 haloalkylsulfonyl group, a cyano group, a nitro group, or an amino group which may be substituted by a C1-C4 alkyl group;

n represents an integer of 0 to 4; and

Hal represents a halogen atom (excluding a case (1) in which R1 is an unsubstituted benzyl group when X is a hydrogen atom and a case (2) the compounds represented by following chemical formulae

),

wherein R₃ and Q each represent the same as in claim 2.

13. (previously presented) A method for producing the compound according to claim 2, the method comprising reacting the compound represented by formula (3) with a compound represented by formula (6):

$$(X) n \xrightarrow{A_3} A_4 \qquad (3)$$

$$R_2 \xrightarrow{N} Q$$

wherein A_1 , A_2 , A_3 , and A_4 represent a carbon atom; R_3 represents a hydrogen atom, a C1-C4 alkyl group, a C1-C4 alkylcarbonyl group, or a C1-C4 haloalkylcarbonyl

group; G_3 represents an oxygen atom or a sulfur atom; Xs may be the same or different and each represent a hydrogen atom, a halogen atom, a C1-C4 alkyl group, a C1-C4 haloalkyl group, a C1-C4 alkoxy group, a C1-C4 haloalkoxy group, a C1-C4 alkylthio group, a C1-C4 haloalkylthio group, a C1-C4 haloalkylsulfinyl group, a C1-C4 haloalkylsulfinyl group, a C1-C4 haloalkylsulfinyl group, a C1-C4 alkylsulfonyl group, a C1-C4 haloalkylsulfonyl group, a c1-C4 haloalkylsulfonyl group, a c1-C4 alkylsulfonyl group, a c1-C4 alkylsulfonyl group, a c1-C4 alkyl group;

n represents an integer of 0 to 4; and

Q represents a phenyl group,

a substituted phenyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 haloalkyl group which may be substituted by at least one hydroxyl group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkylsulfonyloxy group, a C1-C4 alkylcarbonyl group, a C1-C4 haloalkylcarbonyl group, a cyano group, a nitro group, a hydroxyl group, a pentafluorosulfanyl group, a phenyl group, a substituted phenyl group (which may have the same or different substituents selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkylsulfonyloxy group, a cyano group, a nitro group, a hydroxyl group, and a pentafluorosulfanyl group), a thienyl group, a substituted thienyl group (which may have the same or different substituents selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkylsulfonyloxy group, a cyano group, a nitro group, a hydroxyl group, and a pentafluorosulfanyl group),

a naphthyl group,

a substituted naphthyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C3-C8 cycloalkyl group, a C3-C8 halocycloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkyl group which may be substituted by at least one hydroxyl group, a C1-C6 alkylthio group, a C1-C6 haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 alkylsulfinyl group, a C1-C6 alkylsulfonyl group, a C1-C6 alkylsulfonyl group, a C1-C6 alkylsulfonyl group, a cyano group, a nitro group, a hydroxyl group, and a pentafluorosulfanyl group,

a heterocyclic group (which represents a pyridyl group, a pyridine-N-oxide group, a pyrimidinyl group, a pyridazyl group, a furyl group, a thienyl group, an oxazolyl group, an isoxazolyl group, an oxadiazolyl group, a thiazolyl group, an isothiazolyl group, a pyrrole group, an imidazolyl group, a triazolyl group, a pyrazolyl group, or a tetrazolyl group).

a substituted heterocyclic group (which represents a pyridyl group, a pyridine-N-oxide group, a pyrimidinyl group, a pyridazyl group, a furyl group, a thienyl group, an oxazolyl group, an isoxazolyl group, an imidazolyl group, a triazolyl group, a pyrazolyl group, or a tetrazolyl group) having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkyl group, a C1-C6 haloalkyl group, a C1-C6 haloalkyl group, a C1-C6 haloalkyl group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfonyl group, a c1-C6 hal

a substituted tetrahydronaphthyl group having one or more substituents which may be the same or different and which are selected from a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkyl group which may be substituted by at least one hydroxyl group, a C1-C6 alkylthio group, a C1-C6 alkylthio group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 haloalkylsulfonyl

group, a cyano group, a nitro group, a hydroxyl group, and a pentafluorosulfanyl group.

wherein R₁ and G₂ each represent the same as in claim 2.

14. (previously presented) A method for producing the compound according to claim 2, the method comprising reacting the compound represented by formula (4) with a compound represented by formula (7):

wherein A_1 , A_2 , A_3 , and A_4 independently represent a carbon atom; R_2 and R_3 independently represent a hydrogen atom, a C1-C4 alkyl group, a C1-C4 alkylcarbonyl group, or a C1-C4 haloalkylcarbonyl group; G_3 represents an oxygen atom or a sulfur atom; X_3 may be the same or different and each represent a hydrogen atom, a halogen atom, a C1-C4 alkyl group, a C1-C4 haloalkyl group, a C1-C4 alkyl group, a C1-C4 haloalkyl group, a C1-C4 alkylsulfinyl group, a C1-C4 alkylsulfinyl group, a C1-C4 alkylsulfinyl group, a C1-C4 alkylsulfinyl group, a C1-C4 haloalkylsulfonyl group, a C1-C4 haloalkylsulfonyl group, a C1-C4 alkylsulfinyl group, or an amino group which may be substituted by a C1-C4 alkyl group;

n represents an integer of 0 to 4; and

Q is a substituent represented by formula (1-2) or (1-3):

$$Y_{5} = Y_{2}$$

$$Y_{3} = (1-2)$$

(wherein Y_1 , Y_2 , Y_4 , and Y_5 may be the same or different and each represent a hydrogen atom, a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkoxy group, a C1-C6 ha

haloalkylthio group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a pentafluorosulfanyl group, a cyano group, or a nitro group, and Y_3 represents a C1-C6 haloalkyl group, a C1-C6 haloalkyl group, a C1-C6 haloalkyl group, a C1-C6 haloalkyl group which may be substituted by at least one hydroxyl group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, or a pentafluorosulfanyl group, but only one of Y_1 and Y_5 represents a hydrogen atom):

(wherein Y_6 , Y_7 , and Y_9 may be the same or different and each represent a hydrogen atom, a halogen atom, a C1-C6 alkyl group, a C1-C6 haloalkyl group, a C1-C6 alkoxy group, a C1-C6 haloalkysuffinyl group, a C1-C6 haloalkylthio group, a C1-C6 haloalkylsulfinyl group, a C1-C6 alkylsulfinyl group, a C1-C6 alkylsulfinyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 alkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkylsulfonyl group, a C1-C6 haloalkyl group, a C1-C6 haloalkylsulfonyl group, or a pentafluorosulfanyl group, but only one of Y_6 and Y_9 represents a hydrogen atom).

$$G_1$$
 G_2
 R_1 (7)

wherein R₁, G₁, and G₂ each represent the same as in claim 2.

- 15. (cancelled)
- 16. (cancelled)
- 17. (previously presented) An insecticide comprising the compound according to claims 2 as an active ingredient.
 - 18. (previously presented) An agricultural/horticultural insecticide comprising the

Application No.: 10/570013 Amendment Dated: January 21, 2011 Reply to Office action of: November 23, 2010

compound according to claim 2 as an active ingredient.

- 19. (previously presented) A method for using a chemical comprising treating a useful crop or soil with an effective amount of the compound according to claim 2, for protecting the useful crop from harmful organisms.
- (currently amended) A method for preventing pests comprising using treating pests with the compound according to claim 2 and at least one fungicide and/or inserticide in combination.
- 21. (currently amended) The method for preventing treating pests according to claim 20, wherein the fungicide and/or insecticide is selected from azole fungicides such as triadimefon, hexaconazole, propiconazole, ipconazole, prochloraz, and triflumizole; pyrimidine fungicides such as pyrifenox and fenarimol; anilinopyrimidine fungicides such as mepanipyrim and cyprodinil; acylalanine fungicides such as metalaxyl, oxadixyl, and benalaxyl; benzimidazole fungicides such as thiophanate-methyl and benomyl; dithiocarbamate fungicids such as mancozeb, propineb, zineb, and metiram; organochlorine fungicides such as tetrachloroisophthalonitrile; carboxamide fungicides such as carpropamid and ethaboxam; morpholine fungicides such as dimethomorph; strobilurin fungicides such as azoxystrobin, kresoxim-methyl, metominostrobin, orysastrobin, fluoxastrobin, trifloxystrobin, dimoxystrobin, pyraclostrobin, and picoxystrobin; dicarboxyimide fungicides such as iprodione and procymidone; soil-applied fungicides such as flusulfamide, dazomet, methyl isothiocyanate, and chloropicrin; copper fungicides such as basic copper chloride, basic copper sulfate, copper nonylphenol sulfonate, oxine-copper, and DBEDC; inorganic fungicides such as sulfur and zinc sulfate; organophosphate fungicides such as edifenphos, tolclofos-methyl, and fosetyl-aluminum; melanin biosynthesis inhibitors such as phthalide, tricyclazole, pyroquilon, and diclocymet; antibiotics such as kasugamycin, validamycin, and polyoxins; fungicidal natural products such as repe seed oil; and other fungicides such as benthiavalicarb-isopropyl, iprovalicarb, cyflufenamid, fenhexamid, quinoxyfen, spiroxamine, diflumetorim, metrafenone, picobenzamid, proquinazid, silthiofam, oxypoconazole, famoxadone, cyazofamid,

fenamidone, furametpyr, zoxamide, boscalid, tiadinil, simeconazole, chlorothalonil, cymoxanil, captan, dithianon, fluazinam, folpet, dichlofluanid.

(RS)-N-[2-(1,3-dimethylbutyl)thiophen-3-yl]-1-methyl-3-trifluoromethyl-1H-pyrazole-4carboxamide (penthiopyrad; ISO proposed), oxycarboxin, mepronil, flutolanil, triforine. oxolinic acid, probenazole, acibenzolar-S-methyl, isoprothiolane, ferimzone, diclomezine, pencycuron, fluoroimide, chinomethionate, iminoctadine-triacetate, and iminoctadine-albesilate; synthetic pyrethroid insecticides such as allethrin, tetramethrin, resmethrin, phenothrin, furamethrin, permethrin, cypermethrin, deltamethrin, cyhalothrin, cyfluthrin, fenpropathrin, tralomethrin, cycloprothrin, flucythrinate, fluvalinate, acrinathrin, tefluthrin, bifenthrin, empenthrin, beta-cyfluthrin, zeta-cypermethrin, and fenvalerate, and various isomers thereof and pyrethrum extracts; organophosphate insecticides such as DDVP, cyanophos, fenthion, fenitrothion, tetrachlorvinghos, dimethylvinghos, propaghos, methylparathion, temephos, phoxim, acephate, isofenphos, salithion, DEP, EPN, ethion, mecarbam, pyridafenthion, diazinon, pirimiphos-methyl, etrimfos, isoxathion, quinalphos, chlorpyrifos-methyl, chlorpyrifos, phosalone, phosmet, methidathion, oxydeprofos, vamidothion, malathion, phenthoate, dimethoate, formothion, thiometon, ethylthiometon, phorate, terbufos, profenofos, prothiofos, sulprofos, pyraclofos, monocrotophos, naled, fosthiazate, and cadusafos; carbamate insecticides such as NAC, MTMC, MIPC, BPMC, XMC, PHC, MPMC, ethiofencarb, bendiocarb, pirimicarb, carbosulfan, benfuracarb, methomyl, oxamyl, and aldicarb; arylpropylether insecticides such as etofenprox and halfenprox; silylether insecticides such as silafluofen; insecticidal natural products such as nicotine-sulfate, polynactin complex, abamectin, milbemectin, and BT agents; insecticides such as, cartap, thiocyclam, bensultap, diflubenzuron, chlorfluazuron, teflubenzuron, triflumuron, flufenoxuron, flucycloxuron, hexaflumuron, fluazuron, imidacloprid, nitenpyram, acetamiprid, dinotefuran, pymetrozine, fipronil, buprofezin, fenoxycarb, pyriproxyfen, methoprene, hydroprene, kinoprene, diafenthiuron, triazamate, tebufenozide, and endosulfan; acaricides such as dicofol, chlorobenzilate, bromopropylate, tetradifon, CPCBS, BPPS, chinomethionate, amitraz, benzoximate, hexythiazox, fenbutatin oxide, cyhexatin, dienochlor, clofentezine, pyridaben, fenpyroximate, fenazaguin, and tebufenpyrad; novaluron; noviflumuron; emamectin benzoate; clothianidin; thiacloprid;

thiamethoxam; flupyrazofos; acequinocyl; bifenazate; chromafenozide; etoxazole; fluacrypyrim; flufenzine; halofenozide; indoxacarb; methoxyfenozide; spirodiclofen; tolfenpyrad; gamma-cyhalothrin; ethiprole; amidoflumet; bistrifluron; flonicamid; flubrocythrinate; flufenerim; pyridalyl; pyrimidifen; spinosad; and spiromesifen.